RESTRICTED

RM E52A18

APR 26 1952



RESEARCH MEMORANDUM

EFFECT OF INLET-AIR AND FUEL PARAMETERS ON SMOKING

CHARACTERISTICS OF A SINGLE TUBULAR

TURBOJET-ENGINE COMBUSTOR

By Helmut F. Butze

Lewis Flight Propulsion Laboratory
Cleveland, Ohio

or authority of July Charles 1250

This material contains information affecting the National Defense of the United States within the intenting of the espionage laws, Title 18, U.S.C., Secs. 783 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS TACA LIB

WASHINGTON April 17, 1952 ANGLEY AERONAUTICAL LABORATO

RESTRICTED

NACA RM E52A18

かずらいりませ

.1

CI ACCUPATION CANCELLED

1

1P

NACA RM E52A18





NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

RESEARCH MEMORANDUM

EFFECT OF INLET-AIR AND FUEL PARAMETERS ON SMOKING CHARACTERISTICS:

OF A SINGLE TUBULAR TURBOJET-ENGINE COMBUSTOR

By Helmut F. Butze

SUMMARY

An investigation was conducted to determine the effect of systematic variations in inlet-air and fuel parameters on the smoking characteristics of a single tubular turbojet-engine combustor. For comparison purposes, a series of tests was conducted at static sea-level conditions over a range of engine speeds with a full-scale turbojet engine having combustors similar to the single-tube unit investigated. The concentration of smoke in the combustion gases was determined by means of a filter technique whereby smoke particles were deposited on a special filter paper. The optical density of the deposit as determined by a transmission densitometer served as an indication of the amount of smoke in the exhaust gas.

The most pronounced effect on smoke was observed with increases in inlet-air pressure which produced large increases in smoke concentration. As fuel-air ratios were increased, smoke densities increased, passed through a maximum, and finally decreased. Increases in inletair velocity reduced maximum smoke densities. The effect of inlet-air temperature and fuel volatility on smoke densities was small. Increases in fuel-inlet temperature increased smoke formation slightly. In the full-scale engine, smoke density increased with increasing engine speed and with decreasing exhaust-nozzle area.

The results obtained during this investigation suggest that carbon is formed in the primary zone of a turbojet combustor and is subsequently partly burned in passing through the flame zone, the unburned portion emerging as smoke. Thus, those factors that either tend to reduce carbon formation in the primary zone, such as decreases in pressure and in primary zone fuel-air ratios, or tend to bring about increased burning of smoke in the flame zone such as increased flame length and combustion-gas temperature, will reduce the concentration of smoke in the exhaust gases.



INTRODUCTION

The formation of carbon in turbojet combustors presents a number of major engine operational problems. Previous investigations (references 1 and 2) and operational experience have shown that carbon deposition on walls, fuel-injection nozzles, and ignitors affects combustion efficiency, altitude operational limit, and ignition characteristics of the combustor. Also, the distorted air-flow and fuel-flow patterns which result from carbon deposits frequently cause warping and burning of the combustor liners. Carbon dispersed in the gas stream as smoke does not, in general, impair combustor-performance characteristics, but is objectionable in military operations where smoke trails remaining in the wake of jet-powered aircraft may be easily detected by the enemy.

Research is being conducted at the NACA Lewis laboratory to determine the effects of operating variables on carbon deposition and smoke and to gain a better understanding of the mechanism, or mechanisms, by which these formations occur. The information thus obtained will then aid in the formulation of basic combustor design principles which should result in the elimination of these problems. It has not yet been established whether carbon deposits and smoke result from similar processes or whether they occur under similar operating conditions. The investigation described herein is concerned only with the formation of carbon in the combustion gases as smoke.

At the present time the mechanism of smoke formation is not known. According to one recent theory (reference 3) smoke results from polymerization of fuel molecules at high temperatures and subsequent dehydrogenation forming large carbon aggregates. Additional work on smoke formation has been done by Spalding (reference 4) who studied the burning rates of liquid droplets and by Topps (reference 5) who investigated the rate of evaporation and combustion of liquid drops falling through a high-temperature furnace. Smoke formation has also been studied in laboratory burners (reference 6) and in smoke lamps (reference 7) with principal emphasis on the effect of fuel properties. Research on combustion of smoke in laboratory burners has been conducted by Clark (reference 8) who found that appreciable quantities of admixed smoke can be burned in both diffusion and Bunsen burner flames. In addition, considerable effort has been expended on the smoke problem in Diesel engines (references 9 and 10), but most of the research has been of an applied nature and little basic information has resulted. Some consideration has been given to the smoke problem in turbojetengine combustors by Lloyd (references 11 and 12), but as yet insufficient quantitative data describing the events occurring inside a turbojet combustor (atomization and evaporation of the fuel, mixing of fuel and air, and initiation of combustion) are available to explain the problem of smoke formation in accordance with existing theories.

The investigation reported herein was conducted in order to determine the characteristics of smoke formation in a turbojet combustor through a study of the effect of combustor operating variables on smoke concentration. Accordingly, the effects of systematic variations in inlet-air parameters (pressure, temperature, and velocity) and fuel parameters (temperature and volatility), as well as fuel-air ratio, on smoke were determined in a single tubular turbojet combustor. For comparison, exhaust-gas smoke concentrations were measured at static sealevel conditions over a range of engine speeds on a full-scale engine having combustors similar to the single-tube unit investigated.

APPARATUS AND PROCEDURE

Combustor

A single tubular combustor from a J47 turbojet engine was used for the investigation reported herein. The installation of the combustor was similar to that described in reference 2. Air flow and fuel flow to the combustor were measured by means of an adjustable crifice and calibrated rotameters, respectively; temperature and pressure of the inlet air were determined by two single-junction iron-constantan thermocouples and two three-point total-pressure rakes, respectively. Fuel-inlet temperature was measured by an iron-constantan thermocouple located in the common-flow passage of the duplex fuel nozzle. Exhaust-gas temperatures were measured by seven banks of five-junction single-shielded chromel-alumel thermocouples (reference 2) located in a plane corresponding approximately to the position of the turbine blades in the full-scale engine. A sketch of the combustor installation showing location and arrangement of the instrumentation planes is shown in figure 1.

Smoke Measurement

Smoke measurements were obtained by means of a filter technique whereby a metered volume of exhaust gas was drawn through a filter disk with the resultant deposit on the paper of all smoke particles suspended in the gas. The optical density of the smoke on the filter paper was considered a measure of the amount of smoke in the sample.

Smoke samples were obtained from the combustor by means of a sampling probe located immediately downstream of the exhaust-gas thermocouples (plane D, fig. 1). Preliminary tests in which the circumferential position of the sampling probe in the exhaust section (fig. 1), as well as the distance from the combustor exit, was varied indicated that smoke concentration was relatively uniform and that the position of the probe was not critical. The probe consisted of a section of 1/4-inch outside diameter Inconel tubing, closed at one end and having four



drilled holes of 1/8-inch diameter located at the centers of equal areas and facing upstream. From the probe the exhaust gases passed to the smoke meter through 1/4-inch Inconel tubing. A bypass line located immediately upstream of the smoke meter provided continuous purging of the sampling line and served to reduce the exhaust-gas pressure at the smoke meter.

The smoke meter was a modification of a commercially available smoke tester and is shown diagrammatically in figure 2. It consisted essentially of an air-cooled filter press containing a paper filter disk and an automatic metering device. Automatic metering was accomplished by a sonic-flow orifice and a vacuum pump controlled by an electric timer. Constant upstream orifice pressure and temperature, necessary for accurate metering, were attained by means of a pressure regulator and by an air cooler incorporated in the filter press, respectively. A solenoid valve, operated by the timer, provided instantaneous stoppage of the gas flow at the end of each cycle. Location of all control equipment downstream of the filter minimized any deposition of smoke particles in the sampling system ahead of the filter.

The optical density of the smoke-covered filter disks was determined by a transmission densitometer which measured the amount of light transmitted through the filter. Densitometer scale deflections are a logarithmic function of the amount of light absorbed by the filter paper and hence can be considered a measure of the amount of smoke in the sample. An attempt to determine the weight of smoke in a given sample and thus to calibrate densitometer readings in terms of weight of carbon per unit volume of exhaust gas produced excessive scatter of data because of the extremely small weights of carbon involved. However, the results indicated that densitometer scale deflections did not increase linearly with smoke concentration, but increased at decreasing rates. This trend undoubtedly results from the reduction in uncovered filter area as the deposition of smoke progresses; thus, the first particles of smoke are more effective in reducing light transmission than those deposited later. For the purpose of this investigation, however, the differences in transmission density readings between the smoke-covered and the clean filters were considered a sufficiently accurate measure of the amount of smoke in a given sample and are plotted as "smoke density" throughout the report. Photographs indicating the range of filter-paper smoke depositions obtained are shown in figure 3.

Combustion Efficiency

Combustion efficiencies were also calculated for each test condition. Combustion efficiency was based on the ratio of actual enthalpy rise across the combustor to the heat supplied by the fuel and was computed by the method described in reference 13.

Test Conditions

Inlet-air and fuel parameters were varied over a wide range as shown in table I. At each condition the fuel-air ratio was varied to give average combustor-exit temperatures from 800° to 1600° F.

In order to verify some of the conclusions reached during the investigation, a special experiment was conducted in which a restriction was placed in the secondary air passage of the single combustor to force more air into the primary combustion zone.

In order to compare single combustor performance with that of a full-scale engine, a series of tests was conducted with a full-scale engine operating at static sea-level conditions over a range of engine speeds and at three different exhaust-nozzle openings. Smoke samples were obtained by means of a single 1/4-inch outside diameter Inconel total-pressure probe located in the tail-cone section of the engine.

Fuels

Investigations of the effects of varying inlet-air conditions on smoking tendency were conducted with MIL-F-5624A grade JP-3 fuel. Tests of the effects of fuel volatility on smoking tendency were conducted with several paraffinic-type hydrocarbon fuels, in addition to the JP-3 fuel. Pertinent properties of these fuels are shown in the following table:

Properties	Fuel								
	MIL-F-5624A grade JP-3	2,3 dimethyl- butane	2,2,4 trimethyl- pentane	Paraffinic Diesel fuel					
Boiling range (OF) Specific gravity	113-473	136	208	480-574					
at 60°F/60°F	0.742	0.665	0.696	0.799					
Hydrogen-carbon	1	_							
ratio by weight	0.172	0.194	0.188	0.171					
Net heat of combustion (Btu/lb)	18,764	19,192	19,065	18,762					
Aromatics, A.S.T.M. D875-46T (percent by volume)		0	0	0					



RESULIS

Reproducibility of Smoke Measurements

In order to determine the reproducibility of results, daily checks were made not only of the smoking tendency of the combustor, but also of the performance of the smoke meter. Reliable smoke-meter performance essentially required that a constant volume of exhaust gas be passed across the filter under all conditions. Daily tests with a wet-test meter showed that a constant rate of flow of exhaust gas through the smoke meter could be maintained by means of the sonic orifice. In order to determine any variation in smoking tendency of the combustor, daily tests were conducted at one condition of inlet-air temperature, pressure, and velocity over a range of fuel-air ratios. Results of these tests (fig. 4) indicate that maximum deviations from the average curve were less than ±20 percent.

Effect of Fuel-Air Ratio and Inlet-Air Parameters on Smoke Density

The data obtained in the investigation of the smoking characteristics of the single combustor and the full-scale engine are summarized in tables II and III.

The effect of variations in fuel-air ratio on smoke density is shown for a range of air velocities and at three combinations of combustor inlet-air pressure and temperature in figure 5. At low velocities, smoke density increased with increasing fuel-air ratio, passed through a maximum, and then decreased. As the velocity was increased, maximum smoke concentrations were obtained at successively lower fuel-air ratios. At the same time, the effect of changes in fuel-air ratio on smoke concentration was greatly reduced.

The effect of inlet-air velocity on smoke density is also shown in figure 5. At low fuel-air ratios, smoke densities increased with increasing velocity, whereas at high fuel-air ratios the reverse occurred. Maximum smoke densities, however, decreased with increasing velocity.

The effect of inlet-air pressure on smoke density is shown in figure 6, which was cross-plotted from figure 5 at two velocities and at two fuel-air ratios. The increases in pressure were accompanied by slight increases in inlet-air temperature. Smoke density increased rapidly with increasing pressure under these conditions.

The effect of inlet-air temperature on smoke density at constant pressure and mass flow is shown in figure 7. Since inlet-air pressure and mass flow were held constant, increases in temperature were accompanied by proportional increases in velocity. On the average, smoke



densities decreased slightly as the inlet-air temperature was increased, the effect being most pronounced near the peak of the fuel-air ratio curve. The observed effect of increasing inlet-air temperature was no greater, however, than would be anticipated for the effect of the concurrent increasing inlet velocity; hence no definite conclusion can be drawn regarding the effect of inlet-air temperature on smoke density except that the effect is very small.

Effect of Fuel Parameters on Smoke Density

The effect of fuel volatility on smoke is shown in figure 8 for four fuels of essentially paraffinic composition. Only very small changes in maximum smoke density were observed as the fuel volatility was increased. The most pronounced effect was the occurrence of maximum smoke densities at successively lower over-all fuel-air ratios as volatility was increased.

The effect of fuel-inlet temperature on smoke is shown in figure 9. In general, increases in fuel temperature resulted in a slight increase in smoke formation.

Full-Scale Engine Tests

Results of tests of the full-scale engine operating at static sealevel conditions over a range of engine speeds and at three different exhaust-nozzle openings are shown in figure 10. Although the combustorinlet conditions in full-scale engine tests are fixed by compressor and turbine characteristics and thus cannot be varied at will as in singlecombustor tests, the data so obtained can be used to verify some of the trends indicated by the single-combustor tests. Thus, from figure 10, the smoke density increased with increasing engine speed as well as with decreasing exhaust-nozzle opening. Increases in engine speed at constant altitude result in increased mass flow through the engine together with increased combustor-inlet pressures and temperatures and increased combustor-exit temperatures. Single-combustor tests showed these effects to be in opposition to each other; that is, increases in pressure resulted in large increases in smoke density, while increases in velocity and combustor-inlet temperature reduced smoke density. However, the effect of increased pressure was by far the most pronounced and, hence, may be assumed to be primarily responsible for the increase in smoke with increased engine speed. The slightly higher smoke densities obtained with the smaller exhaust-nozzle openings can also be ascribed to the effect of increased combustor pressure with the reduced exhaust-nozzle opening.

Combustion Efficiency

Combustion-efficiency measurements made at each test condition indicated no loss in efficiency attributable to smoke. Because of the high-pressure conditions investigated, combustion-efficiency values were, in general, very high, averaging above 93 percent (table II).

DISCUSSION OF RESULTS

In order to analyze the effect of inlet-air and fuel parameters on smoke concentration, it is necessary to consider those variables that are the result of variations of these parameters, but which affect the combustion process more directly. Some of the more important of these variables and their predicted effect on smoke concentration are shown in the following table:

Variable	Expected effect on smoke concentration with increase in variable
Primary-zone fuel-air ratio	Increase
Fuel boiling point	Slight increase
Fuel atomization	Decrease
Flame length	Decrease
Flame temperature	Decrease
	1

In addition, the degree of mixing of fuel and air may be an important variable, but its effect on smoke concentration is not readily predicted.

Increases in primary-zone fuel-air ratio generally result either from increased over-all fuel-air ratios or from increased rates of vaporization of the fuel and can be expected to increase smoke formation in the primary combustion zone. Experiments with laboratory burners (reference 6), as well as in Diesel engines (reference 10), have shown that smoke increases with increasing fuel-air ratio. Thus a well-aerated Bunsen burner flame will be blue; as the fuel-air ratio is increased, the color will gradually change from blue to yellow, and, eventually smoke may be emitted. In addition, the experiment (described in PROCEDURE) in which more air was forced into the primary zone of the single combustor by means of a restriction in the secondary air passage showed that reduction of smoke concentration can be effected by reducing the primary-zone fuel-air ratio.

Increases in fuel boiling point result from increases in pressure and from the use of fuels of lower volatility. According to Spaulding (reference 4), who investigated the burning rates of liquid droplets and who found that the smoke formation increased as the temperature of the film surrounding the liquid droplet was increased, increases in fuel

, boiling point should result in increased smoke formation. Other investigators (reference 6), however, found that the effect of boiling point on smoke formation was very slight. This effect of boiling point is substantiated by the results of figure 8, which showed no noticeable reduction in smoke as fuel volatility was increased.

Improved fuel atomization, in general, results from increased flow through the fuel nozzle and should reduce smoke formation because of the greater penetrating power of the improved spray and the resultant elimination of fuel-rich pockets. Conversely, deterioration of spray characteristics is experienced at very low fuel flows. Since a duplex fuel nozzle was used during this investigation, the effect of low fuel flows probably was not as pronounced as it would have been with a single-flow nozzle.

Increases in flame length result, among other causes, from increases in fuel flow and may be expected to decrease smoke concentrations because of the greater amount of smoke burned in its passage through the flame zone. Similarly, increases in the average temperature in the flame zone, brought about by increases in fuel-air ratio, should result in decreased smoke concentration because of the greater amount of smoke burned by the hotter flames.

On the basis of the preceding discussion, the effect of the inletair and fuel parameters on smoke concentration can now be interpreted more easily. The initial increase in smoke density with increasing over-all fuel-air ratio may thus be attributed to concomitant increases in primary-zone fuel-air ratios, while the decrease in smoke density with further increases in over-all fuel-air ratio may be considered to be the result of increased flame length and flame temperature. Since increases in inlet-air velocity were brought about by increases in mass air flow with attendant increases in fuel flow, the decreases in maximum smoke concentration with increases in velocity can be attributed primarily to the effect of increased flame length and improved fuel-spray characteristics.

The large increase in smoke concentration with increases in pressure cannot readily be associated with any changes in the secondary variables discussed previously, such as the effect of increased boiling point, since the varying fuel-volatility tests showed no noticeable increase in smoke density due to increases in boiling point. It is possible that the increase in pressure affected the chemistry of the combustion process rather than the physical characteristics of the combustion zone. The pressure effect has been confirmed by Lloyd (reference 11) who found that smoke increased with pressure in turbojet engines and by Schweitzer (reference 9) and Landen (reference 10) who observed increased smoke in Diesel engines as compression ratios and cylinder pressures were increased.

centrations was observed.

The slight increase in maximum smoke densities with increasing fuel temperature may have been caused by attendant increases in primary-zone fuel-air ratios. Similarly, the occurrence of maximum smoke densities at successively lower over-all fuel-air ratios as fuel volatility was increased may be attributed to increases in primary-zone fuel-air ratios although no noticeable increase in the magnitude of maximum smoke con-

The results of the investigation showed that increases in pressure brought about large increases in smoke density, while increases in inletair velocity or mass flow reduced smoke density. The results further indicated that those variables which increase the primary-zone fuel-air ratio will increase smoke formation, whereas those factors which tend to lengthen the flame zone or increase the flame temperature will decrease smoke concentration in the exhaust gases.

SUMMARY OF RESULTS

The following results were obtained from an investigation of the effects of inlet-air and fuel variables on the exhaust-gas smoking characteristics of a single tubular turbojet-engine combustor and from comparison tests in a full-scale turbojet engine:

- 1. The most pronounced effect on smoke was observed with increases in inlet-air pressure, which produced large increases in smoke concentration.
- 2. As fuel-air ratios were increased, smoke densities first increased, passed through a maximum, and finally decreased. The effect of variations of fuel-air ratio on smoke decreased with increasing velocity; also maximum smoke densities decreased and occurred at successively lower fuel-air ratios as inlet-air velocity was increased.
- 3. The effect of inlet-air temperature on smoke density was very small.
- 4. As fuel volatility was increased, maximum values of smoke density did not change appreciably, but were obtained at successively lower fuel-air ratios. Increases in fuel temperature resulted in slight increases in smoke formation.
- 5. The results of comparison tests in a full-scale turbojet engine indicated that the factors which increased combustion-chamber pressure, such as increased engine speed and decreased exhaust-nozzle area, also increased exhaust-smoke concentration.

Lewis Flight Propulsion Laboratory
National Advisory Committee for Aeronautics
Cleveland, Ohio

REFERENCES

- 1. Wear, Jerrold D., and Locke, Theodore E.: Effect of Retractable Ignition Plug on Plug Fouling by Carbon Deposits. NACA RM E50F14, 1950.
- 2. Wear, Jerrold D., and Douglass, Howard W.: Carbon Deposition from AN-F-58 Fuels in a J33 Single Combustor. NACA RM E9D06, 1949.
- 3. Wolfhard, H. G., and Parker, W. G.: Combustion Processes in Flames. Part V. Some Observations on Carbon Formation. Rep. Chem. 452, British R.A.E., Nov. 1948.
- 4. Spalding, D. B.: Combustion of liquid fuel in a gas stream I. Fuel, vol. XXIX, no. 1, 1950, pp. 2-7; con't., Part II, Fuel, vol. XXIX, no. 2, 1950, pp. 25-32.
- 5. Topps, J. E. C.: An Experimental Study of the Evaporation and Combustion of Falling Droplets. N.G.T.E. Memo. M.105, British M.O.S., Feb. 1951.
- 6. Ebersole, Earl R., and Barnett, Henry C.: Smoking Characteristics of Various Fuels as Determined by Open-Cup and Laboratory-Burner Smoke Tests. NACA MR E5F20 and E5I12, 1945.
- 7. Clarke, A. E., Hunter, T. G., and Garner, F. H.: The Tendency to Smoke of Organic Substances on Burning. Jour. Inst. Petroleum, vol. 32, no. 274, Oct. 1946, pp. 627-642.
- 8. Clark, Thomas P.: Combustion of Smoke in Diffusion and Bunsen Flames. NACA RM E51E15, 1951.
- 9. Schweitzer, P. H.: Must Diesel Engines Smoke? SAE Quart. Trans., vol. 1, no. 3, July 1947, pp. 476-489.
- 10. Landen, E. W.: Combustion Studies on the Diesel Engine. SAE Jour., vol. 54, no. 6, June 1946, pp. 270-288.
- 11. Lloyd, Peter: Combustion in the Gas Turbine. War Emergency Issue No. 12 pub. by Mech. Eng. (London), 1945. (Reprinted in U. S. by A.S.M.E., Jan. 1947, pp. 462-472.)
- 12. Lloyd, Peter: The Fuel Problem in Gas Turbines. War Emergency Issue No. 41 pub. by Inst. Mech. Eng. (London). (Reprinted in U. S. by A.S.M.E., April 1949, pp. 220-229.)
- 13. Turner, L. Richard, and Bogart, Donald: Constant-Pressure Combustion Charts Including Effects of Diluent Pressure. NACA Rep. 937, 1949. (Formerly NACA TN's 1086 and 1655.)

TABLE I - RANGE OF TEST CONDITIONS

NACA 🗸
The same

		Inlet air		Fuel	
Pressure (in. Hg)	Temperature (°F)	Velocity ^a (ft/sec)	Specific mass flow (lb/(sec)(sq ft))	Specification	Temperature (°F)
35.0	180	30, 40, 50, 60 70, 80, 90	Varied with velocity	MIL-F-5624A Grade JP-3	Ambient
50.9	250	30, 40, 50, 60 70, 80, 90	Varied with velocity	MIL-F-5624A Grade JP-3	Ambient
65.0	305	30, 40, 50, 60, 70	Varied with velocity	MIL-F-5624A Grade JP-3	Ambient
65.0	100, 150, 200, 250, 300, 350, 400	Varied with temperature	4.51	MIL-F-5624A Grade JP-3	Ambient
6 5.0	1.00	30	4.51	MIL-F-5624A Grade JP-3	76, 200, 300 400
65.0	100	30	4.51	MIL-F-5624A Grade JP-3; [2,3 dimethyl-butane; 2,2,4 trimethyl-pentane; Paraffinic Diesel fuel	Ambient,

⁸Based on maximum cross-sectional area of combustor housing (0.48 sq ft) and density of air at combustor inlet.

^bAir preheater capacity limitations restricted velocity to maximum value of 70 ft/sec.



TABLE II - PERFORMANCE DATA OF SINGLE TUBULAR COMBUSTOR

Run	Fuel	Combustor- inlet total pressure (in. Hg abs.)	Combustor- inlet temper- ature (OR)	Air flow (lb/hr)	Combus- tor refer- ence velocity (ft/sec)	Fuel flow (lb/hr)	Fuel tem- pera- ture (°R)	Fuel- air ratio	Mean combustor- cutlet tempera- ture (OR)	Mean temper- ature rise through combus- tor (OF)	Combus- tion effi- ciency (percent)	Fuel- nozzle pressure differ- ential (in. Hg)	Smoke den- sity
_			Effec	t of fue	l-air rati	o and i	nlet-a	ir pres	sure and ve			·	Ь
129 150 151 151 152 153 153 153 153 153 153 153 153 153 153	MIL-F- 5624A Grade JP-S	64.8 65.10 65.10 65.10 65.10 65.00 65.10 65.00 6	755 758 758 766 758 765 765 765 765 765 765 765 766 760 761 761 762 763 764 764 764 761 761 762 763 763 763 763 763 763 763 763 763 763	5,899 5,829 5,855 5,914 5,789 7,797 7,828 7,797 7,828 9,754 9,754 9,754 9,759 9,754 11,632 11,632 11,647 11,657 11,657 11,557 4,942 4,937 4,920 6,574 6,554	30.0 28.6 39.8 39.8 39.8 39.8 39.1 39.8 50.1 49.8 59.6 69.6 68.1 30.2 40.2 40.2 40.2 40.2 40.2 40.2 40.2 4	40.1 55.4 72.9 94.8 118.2 53.5 76.6 100.2 127.5 155.2 65.2 97.0 127.7 159.8 193.1 151.8 96.5 138.9 138.	nlet-a: Ambi- ent	0.0068 .0095 .01205 .0160 .0204 .0069 .0128 .0164 .0199 .0067 .0100 .0151 .0102 .0152 .0196 .0171 .0102 .0156 .0171 .0102 .0156 .0171 .0102 .0156 .0170 .0105 .0170 .0208 .0158 .0170 .0208 .0158	1245 1455 1650 1855 1855 1855 1866 1860 2060 1260 1260 1260 1470 1875 1285 1485 1485 1899 1895 1855 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1875 1285 1470 1870 1885 1470 1875 12860 12860 12860 12860 12865 1485	1001ty 490 697 892 1089 1517 508 695 1116 1302 494 490 1110 1501 716 898 1101 501 714 932 1150 1206 542 758 141 1361 756 1561 756 758 1561 756 755 1366 5457 7555 1366 5457 7555 1366 1556 1556 1556 1556 1556 1555 1556 1555	97.75 101.19 101.19 105.36 109.58 100.20 100	20.1 38.2 68.6 111.5 158.2 72.8 166.5 182.8 166.5 182.8 166.5 182.8 201.0 81.0 158.5 178.7 178.7 178.7 178.7 178.6 195.2 225.3 178.8 322.1 84.8 97.1 152.2 172.4 422.1 86.9 141.9 168.4 172.4	0.17 -49 -69 -85 -82 -52 -82 -82 -82 -82 -82 -82 -82 -82 -82 -8
185 1185 1185 1185 1185 1185 1185 1185		1.09 50.88 50.88 50.88 50.99 50.89 50.99 50 50.99 50 50 50 50 50 50 50 50 50 50 50 50 50	708 714 707 706 706 706	9,898 9,899 9,899 11,469 11,546 11,546 11,546 13,195 13,195 14,785 14,785 14,785 14,785 14,785 14,785 14,785 14,785 16,785 5,765 5,765 5,765 5,765 5,765 5,765 5,765 5,765 5,765 5,765 5,765 5,765 6,265 6,267 6,271 6,2	59.75 69.46 69.88 69.02.46 69.80 69.80 90.07 80.07 80.07 80.07 80.08 80.07 80.08 80.07 80.08 80.07 80.08 80.07 80.08 80.07 80.07 80.08 80.07 80.08 80.07 80.08 80 80.08 80 80 80 80 80 80 80 80 80 80 80 80 8	167.7 205.2 89.7 124.0 160.0 160.0 198.8 228.7 102.5 142.7 182.9 222.4 115.8 156.2 205.7 228.0 68.1 28.0 72.5 92.1 115.8 167.5 92.1 115.8 167.5 78.8 167.5 78.8 104.9 155.8 104.9 155.8 104.9 155.8 104.9 155.8 107.2 110.8		.0169 .0207 .0207 .0159 .0108 .0108 .0109	1850 1265 1460 1265 1480 1265 1880 1260 1260 1270 1680 1270 1455 1885 1270 1260 1265 1455 1675 1265 1265 1265 1265 1265 1265 1265 126	1144 1366 558 754 949 11718 552 970 1157 563 741 1967 1050 626 814 1023 1120 615 1225 1420 615 1225 820 1020 1121 1416 616 827 1031 1428 820 1028 11298 11298 11298 11298 11298 11298 11298 11298 11416 616 617 1031 1416 617 1031 1416 618 636 637 1031 1416 618 637 1031 1416 618 636 637 1031 1416 618 637 1031 1416 618 636 637 1031 1416 618 636 637 1031 1416 618 637 1031 1416 618 638	966705234031719158133250750070836999999999999999999999999999999999999	188.6 205.0 97.1 180.3 182.7 2015.0 127.8 174.4 192.7 205.2 180.7 205.2 180.7 205.2 19.5 53.6 54.1 162.8 163.7 62.1 102.8 163.7 62.1 102.8 163.7 62.1 102.8 163.7 62.1 102.8 163.7 62.1 102.8 163.7 62.1 102.8 163.7 102.8 163.7 102.8 163.7 102.8 163.7 164.2 172.1 184.5 185.7 184.5 185.7 184.5 185.7 184.5 185.7 184.5 185.7 186.2 186	.466 .211 .367 .488 .322 .358 .322 .322 .055 .344 .322 .055 .342 .322 .058 .344 .088 .098 .098 .098 .098 .098 .098 .098



TABLE II - PERFORMANCE DATA OF SINGLE TUBULAR COMBUSTION - Concluded

Run	Fuel	Combustor- inlet total pressure (in. Hg abs.)	Combustor- inlet temper- sture (OR)	Air flow (lb/hr)	Combus- tor refer- ence velocity (ft/sec)	Fuel flow (lb/hr)	Fuel tem- pera- ture (°R)	Fuel- air ratio	Mean combustor- outlet tempera- ture (°R)	Mean temper- ature rise through combus- tor (°F)	Combus- tion effi- ciency (percent)	Fuel- nozzle pressure differ- ential (in. Hg)	Smoke den- sity
	Effect of inlet-air temperature												
84 85	HIL-F-5624A	65.5	564	7686	28.8	68.1	Ambi-	0.0089	1255	691	104.9	56.0	0.57
86 87 88	Grade JP-3	65.0 65.2 64.8 64.7	560 562 564 562	7649 7791 7760 7754	28.7 29.5 29.4 29.4	92.8 117.5 144.9 170.8	ent	.0121 .0151 .0187	1480 1860 1880 2090	920 1098 1316 1528	104.1 101.8 100.7 101.1	101.3 154.1 174.8 187.2	.82 .92 .82 .66
99 90 91 92		65.2 65.2 65.2 64.9	612 610 612 610	7712 7641 7796 7734	31.6 32.0 31.9 31.7	86.3 88.3 113.1 140.0		.0096 .0113 .0145 .0181	1270 1455 1670 1885	658 845 1058 1275	103.3 105.0 102.2 100.9	52.3 72.6 152.0 172.7	.39 .67 .97 .86
93 94 95 96		65.0 64.9 65.2 65.1	610 660 665 664	7829 7615 7807 7801	32.0 34.6 34.7 34.7	166.3 61.2 83.9 108.0		.0212 .0078 .0108 .0138	2065 1255 1465 1670	1455 595 800 1006	100.0 102.7 102.5 102.2	184.8 44.4 84.9 142.0	.74 .27 .59 .75
97 98 99 100		65.1 64.8 84.8 65.2	884 664 710 710	7750 7790 7828 7756	34.4 54.8 37.4 36.8	135.6 162.8 58.5 78.7	-	.0172 .0209 .0075	1860 2070 1270 1465	1196 1406 560 755	99.5 98.5 101.6 102.7	168.4 165.0 40.5 76.7	.90 .65 .24
101 102 103 104		85.1 85.0 85.0 64.8	712 711 708 756	7807 7789 7776 7809	37.2 37.1 36.9 39.7	104.6 129.8 158.6 51.7	-	.0154 .0167 .0204 .0066	1670 1865 2060 1250	958 1154 1352 494	100.6 99.6 97.3 101.3	133.6 166.5 182.8 32.3	.82 .85 .68
105 106 107 108		64.9 65.0 65.0 65.1	758 757 760 759	7790 7776 7821 7813	39.7 59.4 39.8 39.7	76.0 100.2 124.8 154.7		.0098 .0129 .0160 .0198	1480 1870 1855 2060	702 915 1095 1501	99.6 100.1 98.9 96.7	70.9 123.7 164.5 180.6	.59 .76 .80
109 110 111 112		65.0 65.0 64.8 65.0	808 812 812 810	7832 7845 7782 7787	42.4 42.7 42.5 42.3	47.5 71.2 98.8 123.8		.0060 .0091 .0127	1250 1460 1675 1870	442 648 863 1060	99.6 99.2 96.6 96.6	26.0 64.7 119.9 164.5	.52 .59 .67
113 114 115		65.1 65.0 65.0	805 858 860	7774 7787 7787	41.9 44.8 44.9	150.8 45.2 67.3		.0194 .0055 .0086	2075 1260 1470	1270 402 610	96.7 99.0 98.4	180.6 21.9 58.6	.73 .32 .40
116 117 118		65.1 65.0 65.1	858 860 860	7760 7856 7773	44.5 45.3 44.8 ect of fue	91.4 118.2 147.5	17164 0	.0118 .0150 .0190	1665 1860 2090	807 1000 1230	97.5 96.5 96.3	105.5 158.5 178.6	.69 .75
417	2,2,4-	65.0	562	7821	29.4	68.9	Ambi-	0.0058	1260	698	104.9	64.7	0.78
	trimethyl- pentane	65.2 65.1 65.0 64.8	565 562 563 564	7834 7828 7783 7811	29.4 29.4 29.6	89.8 112.5 159.5 163.8	ent	.0115 .0144 .0179 .0210	1460 1660 1890 2080	895 1098 1327 1516	105.3 105.2 104.2 103.6	113.4 158.2 174.6 185.0	.81 .87 .79 .50
432 453 434 435 436	Paraffinic Diesel fuel	65.0 65.1 64.8 64.8 65.0	558 568 562 563 568	7795 7801 7785 7785 7801	29.1 29.7 29.4 29.5 29.7	77.6 95.8 117.2 140.5 171.2	Ambi- ent	0.0100 .0123 .0151 .0181 .0219	1280 1470 1860 1855 2100	722 902 1098 1292 1532	97.8 100.9 101.9 102.0 101.6	60.6 89.0 126.0 134.1 148.2	0.13 .22 .59 .77 .81
	2,3-dimethyl- butane	64.8 65.1 85.2 64.9 85.0	562 560 558 564 560	7792 7798 7817 7799 7798	29.4 29.2 29.2 29.5 29.2	66.8 90.4 111.0 138.1 159.9	Ambi- ent	0.0086 .0116 .0142 .0177 .0205	1250 1480 1670 1890 2080	688 920 1112 1526 1520	105.5 106.5 107.0 104.7 105.5	64.9 123.6 164.3 180.8 193.0	0.51 .75 .74 .50 .36
509 510 511 512 513 514	MIL-F-5624A Grade JP-3	64.9 64.9 85.5 85.8 64.8	557 559 563 560 561 556	7780 7787 7751 7811 7775 7790	29.1 29.2 29.0 29.1 29.3	69.9 91.9 116.6 140.5 163.7 68.4	536 536 535 536 536 659	0.0090 .0118 .0150 .0180 .0211 .0085	1265 1465 1685 1870 1850	708 906 1122 1510 1489	106.2 105.4 104.6 104.0 102.8	84.7 109.5 141.4 153.5 164.5 70.8	0.49 .61 .92 .89 .80
515 516 517 518		64.8 64.8 64.7 64.8	558 560 562 565	7795 7812 7831 7774	29.2 29.4 29.6 29.5	91.5 115.8 138.0 165.4	666 656 663 651 766	.0117 .0146 .0176 .0215			===	121.9 140.2 156.6 178.9	.91 1.01 .98 .72
519 520 521 522 523		64.8 65.4 65.0 66.0 65.4	560 561 563 560 560	77 4 8 7757 7771 7765 7750	29.2 29.0 29.3 28.7 28.9	69.2 93.0 115.3 134.0 162.0	766 760 760 772 748	.0089 .0120 .0148 .0173				93.3 102.9 127.5 149.0 167.9	.88 .98 1.07 1.00
532 533 534 535		64.6 65.2 65.1 65.2	563 563 563 563	7909 7777 7811 7811	30.0 29.3 29.1 29.4	84.8 109.2 136.6	860 892 868 843	.0085 .0109 .0140				148.4 202.8 215.2 219.5	.84 .85 .94 1.17
536		65.1	564	7802	29.1	150.0	888	.0192				258.1	1.09

 $^{^{8}\}mathrm{Equillibrium}$ not established at these conditions because of lag in fuel preheater.

TABLE III - PERFORMANCE DATA OF FULL-SCALE ENGINE

~			
٠,	NAC	CA.	~
	~ i	7	•

								The state of the s
Run	Engine speed (rpm)	Compres- sor dis- charge pressure (in. Hg abs.)	Compres- sor dis- charge temper- ature (OR)	Turbine- inlet temper- ature (OR)	Air flow (lb/sec)	Fuel- air ratio	Exhaust- nozzle area (sq ft)	Smoke density
35 36 37 38 39 40 41	7954 7577 7197 6820 6427 6047 5310	132.7 125.9 117.8 109.2 99.2 88.7 70.4	950 921 892 863 831 799 740	2133 2006 1894 1793 1693 1609 1484	84.6 83.0 80.1 75.7 70.9 65.0 53.7	0.0168 .0151 .0139 .0127 .0116 .0109	2.27	0.82 .70 .59 .54 .42 .36
42 43 44 45 46	7946 7570 7188 6435 5678	122.6 116.9 110.2 93.6 75.7	916 891 863 809 756	1732 1639 1552 1422 1353	85.6 84.6 81.6 72.3 60.8	0.0114 .0101 .0093 .0081	3.06	0.61 .53 .53 .42 .26
47 48 49 50	6584 6435 6058 5304	109.1 103.9 91.6 71.7	866 853 817 753	2061 1993 1853 1667	71.0 68.7 62.8 52.2	0.0167 .0158 .0142 .0124	2.01	0.63 .50 .38 .23




Figure 1. - Single tubular combustor installation including location and arrangement of instrumentation planes.





Figure 2. - Diagram of smoke meter.

NACA RM E52A18



0.30

0.68

0.90

NACA

1.19

Figure 3. - Smoke-covered filter papers.

Smoke density






Figure 4. - Reproducibility of smoke-density data in single tubular combustor. Inlet-air pressure, 65 inches of mercury; inlet-air temperature, 100° F; inlet-air velocity, 50 feet per second; fuel, MIL-F-5624A, grade JP-3.



(b) Inlet-air pressure, 50.9 inches of mercury; inlet-air temperature, 250° F.

Figure 5. - Effect of fuel-air ratio and inlet-air velocity on smoke density in single tubular combustor at several inlet-air pressures and temperatures. Fuel, MIL-F-5624A, grade JP-3.



(c) Inlet-air pressure, 65 inches of mercury; inlet-air temperature, 3050 F.

Figure 5. - Concluded. Effect of fuel-air ratio and inlet-air velocity on smoke density in single tubular combustor at several inlet-air pressures and temperatures. Fuel, MIL-F-5624A, grade JP-3.




Figure 6. - Effect of inlet-air pressure on smoke density in single tubular combustor at two inlet-air velocities. Fuel, MIL-F-5624A, grade JP-3.




Figure 7. - Effect of inlet-air temperature on smoke density in single tubular combustor. Inlet-air pressure, 65 inches of mercury; specific mass-air flow, 4.51 pounds per second per square foot; fuel, MIL-F-5624A, grade JP-3.




Figure 8. - Smoke density of fuels of varying volatility in single tubular combustor. Inlet-air pressure, 65 inches of mercury; inlet-air temperature, 100° F; inlet-air velocity, 30 feet per second.




Figure 9. - Effect of fuel temperature on smoke density in single tubular combustor. Inlet-air pressure, 65 inches of mercury; inlet-air temperature, 100° F; inlet-air velocity, 30 feet per second; fuel, MIL-F-5624A, grade JP-3.




Figure 10. - Effect of engine speed and exhaust-nozzle opening on smoke density in full-scale engine operating at sea-level conditions. Fuel, MIL-F-5624A, grade JP-3.

SECUI 3 1176 01434 9949